

2015 7-9

GB21900-2008

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
7	7.56	186	0.10	16.80	0.21
8	7.33	126	0.06	10.20	0.17
9	7.10	40	0.26	4.68	0.08
	6-9	280	0.50	40	4.5

2015

<http://www.zdtco.com/csr/01-1/01-1-SG1.pdf>

2015 7-9

GB8978-1996

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
7	7.02	86	0.01	3.09	0.48
8	7.71	104	0.16	2.91	0.18
9	7.57	87	0.03	2.71	0.10
	6-9	300	0.5	31	4.5

2015 7-9

GB8978-1996

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
7	7.21	101	0.40	0.51	0.14
8	7.21	94	0.30	0.47	0.16
9	7.14	51	0.20	0.57	0.15
	6-9	400	0.5	20	2.0

1  
2

<http://www.zdtco.com/csr/01-1/01-1-QHD1.pdf>

<http://www.zdtco.com/csr/01-1/01-1-QHD2.pdf>

	pH	COD			
	( )	(mg/L)	(mg/L)	(mg/L)	(mg/L)
7	7.11				