

2017 1-3

GB21900-2008

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
1	7.36	28	0.080	10.50	0.720
2	7.36	62	0.130	8.46	0.540
3	7.15	135	0.390	19.50	0.790
	6-9	280	0.5	40	4.5

2017 1-3

GB8978-1996

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
1	7.13	145	0.050	3.81	0.150
2	7.91	131	0.100	3.16	3.490
3	7.94	108	0.080	3.70	0.381
	6-9	300	0.5	31	4.5

2017 1-3

GB8978-1996

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
1	8.14	23	0.240	0.76	0.062

2	8.20	21	0.230	1.00	0.080
3	8.13	24	0.250	0.65	0.054
	6-9	400	0.5	20	2

2017 1-3

GB8978-1996

DB21/1627-2008

	pH ( )	COD (mg/L)	(mg/L)	(mg/L)	(mg/L)
1	6.40	75	0.805	0.75	0.137
2	6.50	110	0.768	0.72	0.235
3	6.70	52	0.661	0.53	0.355
	6-9	300	2.0	30	5.0