

	( )		
	91130300798413970U		
	18		03358578888
	IC	(Printed Circuit Board PCB ) (High Density Interconnection HDI ) (Flexible Printed Circuit FPC )	
	ISO14001	3C ISO14064	OHSAS18001      ISO9001 QC080000



6#	A014F			0.67	45		
7#	A014F			2.04	45		
8#	A014F				45		
	A014F				100		
1#	A014F			15.1	120		
2#	A014F			15.6	120		
	A014F				100		
					110	400	
					33.6	30	
9#	A02 4F				100		
					45		
10#	A02 4F			0.08	120		
11#	A02 4F			1.68	30		
					1.9		
12#	A02 4F			1.01	45		
					25		
13#	A02 4F				25		
					1.9		
					45		
1#	A034F			0.83	120		
2#	A054F				100		
					25		

				1.35	45	
3#	A054F				100	
					25	
				1.99	45	
4#	A054F				100	
					25	
				1.8	45	
5#	A054F			1.0	45	
					100	
					9	
6#	A054F			1.19	45	
					1.9	
7#	A054F			0.17	120	
1#	A054F			11.5	120	
2#	A054F			14.6	120	
A16	A16				100	
				169	400	
				12.8	50	
						215.58
						510.144
						832.377
						110.74
						37.54045

	20.2505
	0.476
	4097.8236
	151.9552
	48.8984
	143.9598
	9.3208
	986.4986
	8.816
	50.9216
	256.6614
	19.7972
	13.3026
	28.9535
	7.4
	91.3067
	30.12
	266.622
	16.8629

--	--	--	--	--


	Leq	Leq	Leq	Leq	
1	63.1	52.4	70/65	55	
1	62.3	53.9			
1	65.9	54.6			
1	64.4	52.5			

		2008 8	15000 /	
		2008 8	118.5 /	

180	IC	60 IC /	2007 5	2009 8
		120 /	164	2009 194 2016
			2007	1 [2016]004
360		360 /	2008 3	2011 5 30
				2011 112

480		240 /	181
		240 /	181

© 2013 1005



1440	1440	2015 5	
		2015 4	

1	“ ”
2	“ ”

	<p style="text-align: center;"><a href="http://121.22.94.253:8002">http://121.22.94.253:8002</a></p> <p style="text-align: center;">2015 1 30</p>
--	---

	<ol style="list-style-type: none"><li>1. COD pH</li><li>2. 2011</li><li>3. 500 RMB</li></ol>
--	--

1.

2016 1 21