

	91320891795375374T		
	168		0517-83516888
	(Printed Circuit Board PCB) 3C ISO9001 ISO14001 ISO50001 ISO14064 OHSAS18001 QC080000		

							(t)	(t)		
1	COD				89 mg/L	400 mg/L	96.40	783.67		
					0.48 mg/L	5.0 mg/L	0.57	1.5		
					6.29 mg/L	35 mg/L	6.50	/		
					0.14 mg/L	2.0 mg/L	0.16	1.84		
					0.15 mg/L	0.5 mg/L	0.09	0.15		
					0.27 mg/L	5.0 mg/L	0.29	0.68		
					26 mg/L	250 mg/L	28.57	138.5		
					0.01 mg/L	1.0 mg/L	0.006	0.054		
					ND	0.3 mg/L	ND	0.022		
	24					3.61 mg/m ³	200 mg/m ³	9.72	11.80	
						3.33 mg/m ³	120 mg/m ³	2.35	6.91	
						2.66 mg/m ³	45 mg/m ³	9.33	25.54	
						4.87 mg/m ³	30 mg/m ³	9.91	15.21	
						0.48 mg/m ³	120 mg/m ³	0.57	0.92	
						0 mg/m ³	25 mg/m ³	0.00	0.28	
						0 mg/m ³	0.5 mg/m ³	0.00	0.012	
						2.73 mg/m ³	30 mg/m ³	0.09	0.39	
						0 mg/m ³	100 mg/m ³	0.00	13.87	

	GB2190-2008 5 GB16297-1996 2 GB13271-2014 1
--	--

		2576.90
		398.02
		60.00
		32.30
6		26.70
6		34.72
		43.50
		299.96
		36.86
		59.50
		165.64
		0.28
		0.26
		9.50
		10.26
		25.92

	Leq	Leq	Leq	Leq	
1#	53.5	50.1	65	55	
2#	52.5	48.9			
3#	53.2	49.6			
4#	52.7	49.2			

		2008 1	12000 /	
		2008 1	103.1 /	

() 140		2006-12-02	[2006]2 34		2009-07 -31	
() 140		2007-07-17	[2007]1 50		2011-06- 28	[2011] 49

) “ (2018-02-13	[2018]0 12	
) “ (2018-06-19	[2018]0 27	
VCP ”				
) “ (2018-08-14	[2017]0 40	
) “ (
) “ (2010-11-24	[2010]1 14	
) “ (
105		2008-11-28	[2008]3 25	
35				
35		2019-12-16	[2019]0 66	
20				
HDI		2019-02-25	[2019]0 13	

			2017-09-18
	1		
	2		
	1		
	2		
	3		

	4
	3

--	--

	<ol style="list-style-type: none">1. COD pH2. , 2019 123.
--	---